



# KEDOCOL BC

## ADHESIVE FOR ASSEMBLING CELLULAR CONCRETE BLOCKS

### TECHNICAL DEFINITION

Powder adhesive for indoor and outdoor assembly of cellular concrete block partitions.

Also suitable for smoothing cellular concrete blocks.

### COMPOSITION AND APPEARANCE

White cement, sand and various additives.

The resulting mix is white.

### ACCEPTED SUBSTRATES

All types of cellular concrete.

### TECHNICAL CHARACTERISTICS

- Setting time: 5 hours.

- Adjustable for 15 to 20 min.

### PACKING

25 kg bags.

### STORAGE

6 months in unopened original packing protected from damp.

### APPLICATION

#### PRECAUTIONS FOR USE

The temperature during application and drying must be between 5 and 30°C.

Do not use mix that has begun to set.

Product labelled as hazardous. Contains cement: gloves should be worn. Refer to the safety label on the packaging. Observe the precautions for use and the safety advice. Safety data sheet available at [www.quickfds.com](http://www.quickfds.com), read before use.

#### PREPARATION OF SURFACES

The cellular concrete blocks must be dry and free of dust.

#### MIXING FACTOR

Around 8 to 9 l of water per 25 kg sack.

Mechanical mixing is preferable.

#### APPLICATION

Application is to be carried out using a toothed spatula to apply a quantity of adhesive equivalent to a joint thickness of 2 to 3 mm.

#### CONSUMPTION

- Approximately 5 kg/m<sup>2</sup> for assembly.

- Approximately 2 kg/m<sup>2</sup> for finishing.

#### DRYING TIME

12 to 24 hours depending on the ambient conditions.

## CELLULAR CONCRETE ADHESIVE

This is the ideal adhesive for the fast assembly of cellular concrete blocks.

KEDOCOL BC is also suitable for smoothing walls and partitions of cellular concrete.

### ADVANTAGES

- Fast setting.
- General-purpose suitability for assembly and finishing.

### APPLICATION TIP

Use KEDOCOL BC also for filling jobs by mixing 2 parts of adhesive with 1 part of 0-2 mm grade sand.

