



# SEMIN X1 COLLE EXTRA FORTE

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 7/06/2017

Revision date: 7/06/2017

Supersedes: 26/03/2015

Version: 7.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : SEMIN X1 COLLE EXTRA FORTE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SEMIN  
1A Rue de la Gare  
57920 KEDANGE-SUR-CANNER  
T +33 (0)3 82 83 53 57 - F +33 (0)3 82 83 93 33  
[info@semin.com](mailto:info@semin.com) - [www.semin.com](http://www.semin.com)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction  
EUH210 - Safety data sheet available on request

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vinyltrimethoxysilane	(CAS-No.) 2768-02-7 (EC-No.) 220-449-8 (REACH-no) 01-2119513215-52	2,5 - 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373
Titanium dioxide substance with a Community workplace exposure limit	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (REACH-no) 01-2119489379-17	1 - 2,5	Not classified

Full text of H-statements: see section 16

# SEMIN X1 COLLE EXTRA FORTE

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Move to fresh air.
First-aid measures after skin contact	: Wash with plenty of soap and water.
First-aid measures after eye contact	: Wash with plenty of soap and water. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.

#### 5.3. Advice for firefighters

Precautionary measures fire	: Do not breathe fumes from fires or vapours from decomposition. Evacuate unnecessary personnel. Exercise caution when fighting any chemical fire.
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protection during firefighting	: Wear a self contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Equip rescue crew with proper protection.

#### 6.2. Environmental precautions

Do not allow into drains or water courses.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Cover spill with non combustible material, e.g.: sand, earth, vermiculite.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid all unnecessary exposure.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, well-ventilated area.

#### 7.3. Specific end use(s)

No additional information available

# SEMIN X1 COLLE EXTRA FORTE

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

methanol (67-56-1)		
EU	Local name	Methanol
EU	IOELV TWA (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	200 ppm
EU	Notes	skin
EU	Skin	
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	266 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	333 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	250 ppm
Titanium dioxide (13463-67-7)		
EU	Local name	Titanium dioxide
EU	Notes	SCOEL Recommendations (Ongoing)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
calcium carbonate (471-34-1)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
silica (7631-86-9/112945-52-5)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> inhalable dust 2,4 mg/m <sup>3</sup> respirable dust
tetramethyl orthosilicate (681-84-5)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	6,3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	32 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	5 ppm

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protective equipment:

Gloves. Safety glasses.

##### Hand protection:

Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber	3 (> 60 minutes)	> 0,35		EN 374

##### Eye protection:

Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Device	Filter type	Condition	Standard
Gas mask	ABEK	If conc. in air > exposure limit	



##### Consumer exposure controls:

Avoid contact with skin and eyes. Wash hands and other exposed areas with soap and water before leaving work.

# SEMIN X1 COLLE EXTRA FORTE

## Safety Data Sheet

according to Regulation (EU) 2015/830

### Other information:

Do not eat, drink or smoke when using this product. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: According to product specification.
Odour	: characteristic.
Solubility	: Water: practically insoluble

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>vinyltrimethoxysilane (2768-02-7)</b>	
LD50 oral rat	7120 mg/kg
LD50 dermal rabbit	3540 mg/kg
LC50 inhalation rat (mg/l)	16,79 mg/l/4h
LC50 inhalation rat (ppm)	2773 ppm/4h (OECD 403 method)
LC50 inhalation rat (Dust/Mist - mg/l/4h)	16,8 mg/l/4h
<b>Titanium dioxide (13463-67-7)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 inhalation rat (mg/l)	3,43 mg/l
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 6,82 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

<b>vinyltrimethoxysilane (2768-02-7)</b>	
LOAEL (oral, rat, 90 days)	10 - 100 mg/kg bodyweight/day

Aspiration hazard	: Not classified
-------------------	------------------

# SEMIN X1 COLLE EXTRA FORTE

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Acute aquatic toxicity : Not classified  
Chronic aquatic toxicity : Not classified

#### **vinyltrimethoxysilane (2768-02-7)**

LC50 fish 1	191 mg/l
EC50 Daphnia 1	168,7 mg/l
EC50 72h algae (1)	> 957 mg/l
ErC50 (algae)	> 100 mg/l (OECD 201 method)
NOEC chronic fish	>= 100 mg/l
NOEC chronic crustacea	28 mg/l
NOEC chronic algae	957 mg/l

#### **Titanium dioxide (13463-67-7)**

LC50 fish 1	> 1000 mg/l
LC50 fish 2	> 10000 mg/l
EC50 Daphnia 1	2 mg/l
EC50 other aquatic organisms 1	> 10000 mg/l
EC50 other aquatic organisms 2	61 mg/l
NOEC (chronic)	0,01 mg/l rat
NOEC chronic algae	56000 mg/l

#### 12.2. Persistence and degradability

#### **Titanium dioxide (13463-67-7)**

Persistence and degradability : Not readily biodegradable.

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

#### **SEMIN X1 COLLE EXTRA FORTE**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

### SECTION 14: Transport information

In accordance with ADR

#### ADR

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No

No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Transport regulations (ADR) : Not classified.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# SEMIN X1 COLLE EXTRA FORTE

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
EUH208	Contains . May produce an allergic reaction
EUH210	Safety data sheet available on request

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*