



SAFETY DATA SHEET

MASTIC ACRYLIQUE

Page: 1

Compilation date: 1.4.2021

Revision date: 31.3.2021

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MASTIC ACRYLIQUE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: SEMIN

1A RUE DE LA GARE

F-57920 KEDANGE-SUR-CANNER

France

Tel: +33 (0) 3 82 83 53 57

Fax: +33 (0) 3 82 83 93 33

Email: ludivine.wininger@semin.com - www.semin.com

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: -: EUH208; -: EUH210

Most important adverse effects: Contains 1,2-Benzisothiazolin-3-on, 5-Chlor-2-methyl-4-isothiazolin-3-on. May produce an allergic reaction. Safety data sheet available on request.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains 1,2-Benzisothiazolin-3-on, 5-Chlor-2-methyl-4-isothiazolin-3-on. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

2.3. Other hazards

Other hazards: * Product does contain < 1% titanium dioxide. Only few special colours may contain up to 2% of titanium dioxide. Due to highly viscous consistency of the product, formation of aerosol or dust during processing is not possible. In addition, all particles of titanium dioxide are well bound within the polymer matrix. Labelling with EUH 211/212 therefore is not applied.

SAFETY DATA SHEET

MASTIC ACRYLIQUE

Page: 2

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Contains: * 1,2-Benzisothiazol-3(2H)-on (BIT); 5-Chlor-2-methyl-4-isothiazolin-3-on (CIT)

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Ensure supply of fresh air. Seek medical treatment in case of complaints.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

[cont...]

SAFETY DATA SHEET

MASTIC ACRYLIQUE

Page: 3

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not eat, drink or smoke during application.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protection not mandatory, but recommended. Butyl gloves. PVC gloves. Breakthrough time of the glove material > 1 hour.

Eye protection: Safety glasses.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: Various

Odour: Barely perceptible odour

Viscosity: Highly viscous

Boiling point/range°C: > 100

Flash point°C: >93

Autoflammability°C: > 100

Vapour pressure: 23 hPa

Relative density: 1,4 - 1,7

VOC g/l: < 20

9.2. Other information

Other information: No data available.

[cont...]

SAFETY DATA SHEET

MASTIC ACRYLIQUE

Page: 4

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: No data available.

[cont...]

SAFETY DATA SHEET

MASTIC ACRYLIQUE

Page: 5

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: After curing, product can be disposed of with domestic or commercial waste. Non-cured material has to be handled as special waste.

Waste code number: 080410

Disposal of packaging: Empty (clean) container can be disposed of (category: commercial waste, municipal waste).

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains 1,2-Benzisothiazolin-3-on, 5-Chlor-2-methyl-4-isothiazolin-3-on. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.